

THE PERFECT ENCLOSURE. AND NOTHING ELSE.

MODEL: MINIKIN ARMADILLO



DATA SHEET

**1010
BOX**.CO



DATA SHEET

IOIOBox :: Minikin
Removable UniHangers
for hanging from Unistrut
or direct to wall mounting



DATA SHEET

IOIOBox :: Minikin
Removable
30° Articulating
Verticle 4U Rackmount




DATA SHEET

IOIOBox :: Minikin
Optional Cable Ingress Hood
w/ Self Healing Rubber Gasket



Industrial grade latch and lock with three points of locking contact, padlock shackle, and cam lock keys.







Premium Stainless Steel Cable Glands in multiple sizes, Self Healing Rubber Gasket & Good, or the optional Roptex Cable Ingress, shown here.



Multiple options for temperature control, Heat-Only, Standard Vented, PoweVent, or 300W AC-Heater.

DATA SHEET

Overall Dimensions	27.423"W x 11.487"D x 33.25"H
Material	Powerder Coated 0.09" Aluminum
Internal Dimensions	27.00"W x 8.625"D x 32.827"H
Cable Ingress Opening	1.457"W x 6.220"H
Overall Door Openings	20.604"W x 22.375"H
Rackable Space	4U / 7.50"
Max Rack Depth w/Articulation	1st U - 17.875"
	2nd U - 21.875"
	3rd U - 24.875"
	4th U - 27.5"
Max Rack Depth w/o Articulation	27.5" (Rack to Floor)
Available Space Above Rack	5.5" (Rack to Ceiling)
Wall/UniStrut Mounting	16" (Center to Center)
Weight w/o Door	30lbs



DATA SHEET